# Biopesticide for organic production

RID-BUGS is for Plants, Trees, & VEGETABLES

FOR USE IN ORGANIC PRODUCTION

RID-BUGS IS EFFECTIVE ON MITES, ARMORED AND SOFT SCALES, AND CERTAIN FUNGAL DISEASES ALSO CONTROLS VINE MEALYBUGS, SPRAY AT A RATE OF 2 TO 5 GALLONS/ACRE.

RID-BUGS Targets Pests: Effective on larva; and nymphs of insects such as (but not limited to) citrus rust mites, spider mites, two spotted mites, armored and soft scales, mealybugs, whiteflies, aphids, leafrollers, leaf miner, fungus gnants and thrips. RID-BUGS controls certain fungal diseases such as powdery mildew, black spot on Helminthosporium spp., and grease spot on citrus.

FOR USE ON MOST GREENHOUSE CROPS, FRUIT TREES, FLOWERS, HERBS, ORNAMENTALS, VINES, VEGETABLES, FRUITS, NUTS, SPICES, TURFGRASS, LANDSCAPE PLANTS (SUCH AS SAGO PALMS), BULBS, FLOWERS AND FIELD CROPS.

Plant Compatibility: RID-BUGS may be used on most plants. Apply early morning or late afternoon to avoid leaf burn. Some plants in the Euphorbia family (Crown of Thorns) have shown some sensitivity. If in doubt, test before wide scale use.

YOU CAN MIX LIQUID OR DRY FERTILIZERS WITH THIS PRODUCT AT A RATE OF 1 TO 2.5 GALLONS TO 100 GALLONS OF WATER

STORE IN COOL DRY AREA. PRODUCT LIFE IS NORMALLY FOUR TO FIVE YEARS. KEEP OUT OF DIRECT SUNLIGHT. DO NOT REUSE EMPTY CONTAINERS. DISPOSE OF PER LOCAL, STATE AND FEDERAL REGULATIONS.



WA Reg. No. 998920-08001



**Product of the USA** 

Rev: OCTOBER 2020

### SHAKE WELL BEFORE MIXING!

BENEFITS

**Soft on beneficial insects - No Re-Entry Time Required.** 

Pre Harvest Interval: 24 Hours

**Application rates:** Mix 2 ounces per gallon of water and apply using a hand-pump sprayer. Complete coverage is necessary. For severe problems, make two applications 3 days apart. Retreat in 7 days if problem persists.

**Sago Palm Scale**; Make three or more applications one week apart. Spray the trunk as well as the foliage (both sides).

**Tank mix:** Add 2-5 gallons per 100 gallons of water per acre and mix thoroughly. If

#### WARNING FIRST AID MEASURES:

Eye Contact Aid: Flush immediately with cold clean water for at east 15 minutes, contact physician immediately. Skin Contact Aid: Thoroughly wash the affected area with soap and warm water. Flush with large quantities of water. If irritaion persists call a physician.

**Inhalation Aid**: Remove individual to fresh air.

**Ingestion Aid:** Administer water or milk to dilute. Contact a physician or local poison control center.

**KEEP OUT OF REACH OF CHILDREN** 

## Active Ingredients

 Rosemary Oil
 2.0%

 Clove Oil
 2.0%

 Sesame Oil
 5.0%

 Soybean Oil
 91%

 Total
 100%

WARNING: "FOR PERSONAL PROTECTION USE EYE PROTECTION AND GLOVES."



FOR SALES CONTACT: AGMERICA
INFO@AGMERICA.US

This product is exempt from registration with the federal EPA under section 25(b) of FIFRA. This product has NOT been registered with the environmental Protection Agency, AZ Enterprises represents that the product qualifies for exemption from registration under the Federal Insecticide, Fungicide and Rodenticide Act.

NET 2.5Gal. (320 Fl.Oz.) • 9.463L (25 lbs)

2 - 2.5 Gal. case (50lbs)